

# CORRIGENDUM

A. KOMORI et al., “Goal and Achievements of Large Helical Device Project,” *Fusion Sci. Technol.*, **58**, 1 (2010).

In Table III on page 8, the parameters for  $n_e(0)$  ( $10^{19} \text{ m}^{-3}$ ) should be 1.6 for High  $T_i$  and 2.3 for High  $\beta$ . The parameters for  $\bar{n}_e$  ( $10^{19} \text{ m}^{-3}$ ) should be 1.3 for High  $T_i$  and 2.3 for High  $\beta$ . The corrected table is given below. Table III in the online version of this paper is correct.

TABLE III  
Plasma Parameters Achieved

	High $n\tau_E T$	High $T_i$	High $\beta$	Long Pulse	High $n_{e0}$	High $p_0$
$T_e(0)$ (keV)	0.47	3.8	0.43	1.0	0.22	0.8
$T_i(0)$ (keV)	0.47	5.6	—	1.1	0.22	0.8
$n_e(0)$ ( $10^{19} \text{ m}^{-3}$ )	50.0	1.6	2.3	0.57	125	61.0
$\bar{n}_e$ ( $10^{19} \text{ m}^{-3}$ )	25.8	1.3	2.3	0.4	64.0	23.4
$\tau_E$ (s)	0.22	0.046	0.008	0.082	0.039	0.076
$\langle\beta\rangle$ (%)	0.74	0.80	5.1	0.027	1.43	1.18
$W_p$ (kJ)	740	879	91	21	838	1181
$P_{\text{abs}}$ (MW)	3.3	19.1	11.9	0.33	21.4	15.6
$R_{ax}$ (m)	3.8	3.6	3.6	3.67–3.7	3.95	3.8
$B$ (T)	2.763	2.9	0.425	2.75	2.506	2.763
Remarks	$n\tau_E T = 5.2 \times 10^{19} \text{ m}^{-3} \text{ s keV}$			54 min, 48 s $P_{in} = 0.49 \text{ MW}$	IDB	IDB