

Transactions of Fusion Science and Technology

CONTENTS / MAY 2013—VOL. 63, NO. 1T

**Proceedings of the
JOINT CONFERENCE OF
NINTH INTERNATIONAL
CONFERENCE ON OPEN MAGNETIC SYSTEMS
FOR PLASMA CONFINEMENT
and
THIRD INTERNATIONAL WORKSHOP ON
PLASMA MATERIAL INTERACTION FACILITIES
FOR FUSION RESEARCH**

- ix** Comments / *Nermin A. Uckan*
- xi** Preface: Joint Conference of Ninth International Conference on Open Magnetic Systems for Plasma and Third International Workshop on Plasma Material Interaction Facilities for Fusion Research / *T. Imai*
- xii** International Program Committee/Local Organizing Committee/Sponsors
- 1** Axially Symmetric Magnetic Mirrors: History of Development and Future Prospects / *A. V. Burdakov, A. A. Ivanov, E. P. Kruglyakov, A. D. Beklemishev*
- 8** GAMMA 10/PDX Project Status and Future / *T. Imai et al.*
- 16** Plasma-Wall Interaction Facilities in Korea / *K.-S. Chung et al.*
- 21** Overview of Innovative PMI Research on NSTX-U and Associated PMI Facilities at PPPL / *M. Ono et al.*
- 29** Development of Extended Heating Pulse Operation Mode at GOL-3 / *A. V. Burdakov et al.*
- 35** Design and Operation of TE_{31,12} High Power Gyrotron / *K. Kajiwara, Y. Oda, K. Takahashi, A. Kasugai, K. Sakamoto*
- 40** ECR Heating System for the Gas Dynamic Trap / *P. A. Bagryansky et al.*
- 46** Novosibirsk Project of Gas-Dynamic Multiple-Mirror Trap / *A. Beklemishev et al.*
- 52** Hybrid Reactor Studies Based on the Straight Field Line Mirror / *O. Ågren, V. E. Moiseenko, K. Noack, A. Hagnestål, J. Källne, H. Anglart*
- 58** Time Evolving Structure of Alfvén Ion-Cyclotron Waves in GAMMA 10 / *R. Ikezoe et al.*

(Continued)

CONTENTS / MAY 2013—VOL. 63, NO. 11

(Continued)

- 64** Resonant Magnetic Perturbation for ELM Suppression with Helical Ferritic Steel Inserts in Tokamak DEMO Reactor / *T. Takizuka, N. Oyama, T. Fukuda*
- 70** Investigation of Advanced Divertor Magnetic Configuration for DEMO Tokamak Reactor / *Nobuyuki Asakura et al.*
- 76** Electron Cyclotron Resonance Near the Axis of a Mirror Trap / *D. S. Bagulov, I. A. Kotelnikov*
- 82** Experimental and Theoretical Investigations of High Power Sub-Millimeter Wave Emission at Two-Stream Instability of High-Current REB / *A. V. Arzhannikov et al.*
- 88** Plasma-Surface Interaction Activities in KSTAR / *S.-H. Hong et al.*
- 94** Application of a Magnetic Divertor in Gas Dynamic Trap Experiment / *T. D. Akhmetov, A. A. Ivanov*
- 100** First Results and Future Research Plan of Divertor Simulation Experiments Using D-Module in the End-Cell of the GAMMA 10/PDX Tandem Mirror / *Y. Nakashima et al.*
- 106** Hydrogen Solubility of FLiNaK with Hydrogen Plasma Interaction / *Taihyeop Lho, Yong-Sup Choi, HyonJae Park*
- 111** A Plasma Trap as a Target for Neutralization of the Negative Ion Beam / *G. I. Dimov, A. V. Ivanov*
- 115** Recent ICRF Heating Experiments for a Divertor Simulation Study on GAMMA 10 / *M. Ichimura et al.*
- 119** Stellarator-Mirror Hybrid with Neutral Beam Injection / *V. E. Moiseenko, O. Ågren*
- 123** Direct Thrust Measurement of a Permanent-Magnets Helicon Plasma Thruster for Space Propulsion / *Kazunori Takahashi*
- 127** Electron Temperature and Density Measurements by Using Thomson Scattering System in GAMMA 10 / *M. Yoshikawa et al.*
- 131** Recent Results in Research on Direct Energy Conversion for a Fusion System / *H. Takeno et al.*
- 135** Analysis of the Compression and Heating of Magnetized Plasma Targets for Magneto-Inertial Fusion / *S. V. Ryzhkov, A. Yu. Chirkov, A. A. Ivanov*
- 139** A High Performance Field-Reversed Configuration Regime in the C-2 Device / *H. Gota et al.*
- 143** Mechanism of Toroidal Field Generation by Translation of a Field-Reversed Configuration / *Toshiki Takahashi*
- 147** Influence of Bias Magnetic Field Configuration on Equilibrium of Field-Reversed Configuration Plasma Sustained by Rotating Magnetic Field / *Kiyoyuki Yambe, Michiaki Inomoto, Shigetumi Okada*
- 152** Cylindrical Surface Waves and Slow-Wave Instabilities of Periodically Corrugated Cylinder / *Kazuo Ogura, Kazumasa Yamamoto, Yoshihiro Kobari, Kiyoyuki Yambe*

(Continued)

CONTENTS / MAY 2013—VOL. 63, NO. 1T

(Continued)

- 156** Nuclear Analysis of ITER Equatorial EC Launcher / *K. Takahashi et al.*
- 160** Dual Frequency ECRF System Development for JT-60SA / *T. Kobayashi et al.*
- 164** High-Density Helicon Plasma Sources: Basics and Application to Electrodeless Electric Propulsion / *S. Shinohara et al.*
- 168** The Use of Dipole Plasma Equilibrium for Magnetic Sail Spacecraft / *I. Funaki, Y. Kajimura, Y. Ashida, H. Nishida, Y. Oshio, I. Shinohara, H. Yamakawa*
- 172** Development of Antenna System and Simulation of Analysis Method for Digitally-Controlled Millimeter-Wave Interferometer / *Yuichiro Kogi, Shingo Matsukawa, Masayuki Yoshikawa, Atsushi Mase, Yoshio Nagayama, Kazuo Kawahata*
- 176** Electron Density and Fluctuation Measurements by Using a Frequency Multiplied Microwave Interferometer in the GAMMA 10 Anchor Cell / *J. Kohagura et al.*
- 180** Measurement of Divertor Heat Flux at the End-Cell of GAMMA 10 / *Hiroto Matsuura et al.*
- 184** GDMT-T: Superconducting Linear Device for PMI Studies / *S. Polosatkin et al.*
- 188** Plasma Characterization in Divertor Simulation Experiments with a V-Shaped Target on GAMMA 10/PDX / *M. Sakamoto et al.*
- 193** Feasibility of an *In-Vacuo* Implementation of Glow-Discharge Optical Spectroscopy and Status of Its Development for the PSI-2 Facility / *C. C. Klepper, J. P. Caughman, E. H. Martin, A. Kreter, B. Schweer, B. Unterberg*
- 197** Investigation of the Impact on Tungsten of Transient Heat Loads Induced by Laser Irradiation, Electron Beams and Plasma Guns / *A. Huber et al.*
- 201** Using the Radiation of Hydrogen Atoms and Molecules to Determine Electron Density and Temperature in the Linear Plasma Device PSI-2 / *M. Reinhart et al.*
- 205** Development of Multi-Port Imaging System for Divertor Simulating Linear Device / *A. Okamoto, Y. Kawamura, H. Takahashi, T. Kumagai, A. Daibo, S. Kitajima*
- 209** Investigation of the Plasma Heating Effects on the End-Loss Ion Flux of the Tandem Mirror GAMMA 10 / *K. Ichimura et al.*
- 213** High-Enthalpy Plasma Facility for Fusion Plasma Material Interaction Studies / *B. G. Hong, M. H. Kim, J. H. Seo*
- 217** High Efficiency Helicon Plasma Source for PMI Studies / *A. A. Ivanov et al.*
- 221** Evaporation Properties of FLiNaK with Plasma Interaction / *Yong-Sup Choi, HyonJae Park, Taihyeop Lho*
- 225** Power Transmission Factor for Tungsten Target w/wo Fiber-Form Nanostructure in He Plasmas with Hot Electron Component Using Compact Plasma Device AIT-PID / *S. Takamura, T. Miyamoto, N. Ohno*

(Continued)

CONTENTS / MAY 2013—VOL. 63, NO. 1T

(Continued)

- 229** Deuterium Retention in Tungsten with Different Grain Elongation Direction Irradiated by Plasma in APSEDAS / *A. Rusinov et al.*
- 233** Incident Ion Energy and Temperature Dependence of Helium Bubble Formation and Its Impact on D-Retention Under Simultaneous He-D Irradiation of Tungsten / *H. T. Lee, Y. Ohtsuka, Y. Ueda, K. Sugiyama, E. Markina, N. Yoshida*
- 237** Numerical Treatment of Plasma Dynamics in Linear Devices—Impact of Plasma Source Shaping / *Dirk Reiser, Abdessamad Mekkaoui*
- 241** Observation of Plasma Behavior During the ECRH Injection by Using a High-Speed Camera in GAMMA 10 / *S. Kigure et al.*
- 244** Study on the Optimization of Fueling by Using the SMBI Method in GAMMA 10 / *K. Hosoi et al.*
- 247** Evaluation of the Axisymmetry of the Central-Cell Plasma Using a Segmented Limiter on GAMMA 10 / *M. Hirata et al.*
- 250** MHD Activity in GOL-3 During Injection of Long-Pulse Electron Beam / *A. V. Sudnikov et al.*
- 253** Advances in Confinement Study in the Gas Dynamic Trap Experiment / *P. A. Bagryansky et al.*
- 256** Flow-Driven Drift Instability in a Multiple-Mirror Trap / *D. I. Skovorodin, A. D. Beklemishev*
- 259** Smith-Purcell Radiation Based on Cylindrical Surface Waves / *Shinji Hasegawa, Kazuo Ogura, Takayuki Iwasaki, Kiyoyuki Yambe*
- 262** ICRF Antenna Loading in the Minimum-B Anchor Configuration on GAMMA 10 / *T. Yokoyama et al.*
- 265** Development of 154 GHz 1 MW Gyrotron for ECRH of LHD / *T. Kariya et al.*
- 268** ICRF Experiment with Phase-Controlled Antennas on GAMMA 10 / *Y. Ugajin et al.*
- 271** Axial Transport of High-Energy Ions due to ICRF Heating on GAMMA 10 / *T. Imura et al.*
- 274** The Improvement of the ECH Antenna System in the GAMMA 10 / *K. Nakazawa et al.*
- 277** ICRF Heating Experiments in Both East and West Anchor Cells on GAMMA 10 / *Y. Saito et al.*
- 280** Development of 28 GHz/35 GHz Dual-Frequency Gyrotron for Fusion Research / *T. Eguchi et al.*
- 283** The Performance Test and the Improved Design of 28 GHz 1 MW Gyrotron / *H. Nakabayashi et al.*
- 286** Microwave Generation During 100 keV Electron Beam Relaxation in GOL-3 / *A. V. Burdakov et al.*

(Continued)

CONTENTS / MAY 2013—VOL. 63, NO. 11

(Continued)

- 289** Auxiliary Electron Heating and Plasma Control in GDT Device with Electron Beam: The Results of Initial Experiments / *A. A. Ivanov et al.*
- 292** Novel Injector of Intense Long Pulse Electron Beam for Linear Plasma Devices / *V. V. Kurkuchekov et al.*
- 295** Numerical Calculation of the Gyrotron Oscillator in GAMMA 10 ECH Systems / *T. Numakura et al.*
- 298** Results of ECH Power Modulation Experimenting High and ELM-Like Heat Flux in GAMMA 10 Tandem Mirror / *R. Minami et al.*
- 301** Basic Characteristics of Secondary Electron Emission from Foil Electrodes for New Energy Recovery Scheme of High Energy Ions in an Advanced Fusion / *D. Akashi, Y. Takeshita, S. Nakamoto, H. Takeno, Y. Yasaka, Y. Furuyama, A. Taniike*
- 304** Studies on Characteristics of a Bias-Type Traveling Wave Direct Energy Converter Installed on GAMMA 10 Tandem Mirror / *S. Miyazaki, K. Fujita, S. Harada, H. Takeno, Y. Yasaka, K. Ichimura, Y. Nakashima*
- 307** Studies on High Density Plasma Production and Neutral Pressure Control for a Cusp-Type Direct Energy Converter Simulator / *T. Kawaguchi, K. Nishimura, Y. Munakata, H. Takeno, Y. Yasaka, K. Ichimura, Y. Nakashima*
- 310** Numerical Analysis of Particle Orbits for Modulation Process in Traveling Wave Direct Energy Converter / *K. Nishimura, H. Takeno, Y. Yasaka*
- 313** Recent Calculation Results for a Fission-Fusion System with Gas Dynamic Trap Neutron Source / *D. V. Yurov, S. A. Brednikhin, S. A. Frolov, S. I. Lezhnin, V. V. Prikhodko, Yu. A. Tsidulko*
- 316** Initial Simulation Results of GAMMA 10 as NBI Driven Neutron Source / *H. Ueda et al.*
- 319** Alfvén Ion-Cyclotron Instability in a Mirror Trap with Skew Injection of Neutral Beams / *I. S. Chernoshtanov, Yu. A. Tsidulko*
- 322** Neutronic Model of a Stellarator-Mirror Fusion-Fission Hybrid / *S. V. Chernitskiy, V. E. Moiseenko, K. Noack, O. Ágren*
- 325** Edge Turbulence/Fluctuation Observation at “High Density Mode” in GAMMA 10 by Fast Camera / *N. Nishino et al.*
- 328** Two-Point Measurement of High-Frequency Density Fluctuations by Reflectometry in GAMMA 10 / *T. Sato et al.*
- 331** Density Fluctuation Measurements of the GAMMA 10 Plasma by Using the Fraunhofer Diffraction Method / *Y. Morikawa et al.*
- 334** Improvement of Measurement Accuracy of the Phase Imaging Interferometer in GAMMA 10 / *D. Akita et al.*
- 337** Radial Electron Density Measurement by Using a Multi-Channel Microwave Interferometer in the Tandem Mirror GAMMA 10 / *Y. Hasegawa et al.*
- 340** Spectroscopic Measurements of Neutral Hydrogen and Impurity Ion Densities with SMI in GAMMA 10 Central Plasma / *S. Kitade, M. Yoshikawa, Y. Nakashima, T. Mizuuchi, S. Kobayashi, K. Hosoi, T. Imai*

(Continued)

CONTENTS / MAY 2013—VOL. 63, NO. 1T

(Continued)

- 343** Measurement of Local Radial Electric Field by Using Gold Neutral Beam Probe in GAMMA 10 / *K. Furutachi et al.*
- 346** Magnetic Measurements at the GDT Facility / *K. V. Zaytsev et al.*
- 349** Ion Source for 10 sec Diagnostic Neutral Beam / *I. A. Prokhorov et al.*
- 352** Modeling of Impurity Classical/Neoclassical Transport by Monte-Carlo Binary Collision Model / *Y. Sawada, M. Toma, Y. Homma, W. Sato, T. Furuta, S. Yamoto, A. Hatayama*
- 355** Helicoidal System for Axial Plasma Pumping in Linear Traps / *A. D. Beklemishev*
- 358** A Particle-Fluid Hybrid Modeling of Neutral Gas Flow Generation from a CT Neutralization Fuel-Injector / *T. Watanabe, T. Ohshima, T. Takahashi, N. Fukumoto, M. Nagata*
- 361** Hydrogen Plasma-Driven Permeation Through a Reduced Activation Ferritic Steel Alloy F82H / *H. Zhou, Y. Hirooka, N. Ashikawa, T. Muroga, A. Sagara*
- 364** Evaluations of Surface Erosions with High Fluence Pulsed Thermal Inflows on to Plasma Facing Materials / *Koichi Kasuya*
- 367** Hydrogen Isotopes Retention in Gaps at the JT-60U First Wall Tiles / *M. Yoshida et al.*
- 371** Structure of C Deposition Layers Under Various Deposition Conditions / *Y. Hamaji et al.*
- 374** 2-Dimensional Soft X-Ray Behavior of ECR Heated Plasma in GAMMA 10 / *R. Kawarasaki et al.*
- 377** Heating Effects of Background Neutral Particles on a Translated Field-Reversed Configuration / *S. Koike, T. Watanabe, T. Mitsui, T. Takahashi, T. Asai*
- 380** Properties of Electron Motion in Electron-Fluid Perturbation Fields of a Field-Reversed Configuration / *T. Mitsui, T. Watanabe, F. Iizima, T. Takahashi*
- 383** Feasibility Study of the Poloidal Current Drive by Axial Neutral Beam Injection into a Field-Reversed Configuration / *T. Urano, T. Watanabe, T. Mitsui, T. Takahashi*
- 386** Dependence of Properties of Quasi-Single-Helicity States on Field Reversal Parameter in a Low-Aspect-Ratio Reversed Field Pinch / *K. Oki, A. Sanpei, H. Himura, S. Masamune*
- 389** Examination on Plasma Production and Ion Heating for Electric Propulsion Using a Single Helical Antenna / *Y. Hayashi, R. Kinoshita, H. Wakabayashi, S. Nakamoto, H. Takeno, Y. Yasaka*
- 392** Experimental Simulation of Magnetoplasma Sail for Thrust Measurement / *K. Ueno, Y. Oshio, I. Funaki, H. Yamakawa*
- 395** Production of a High Density Helicon Plasma Under an IGBT-Driven Pulsed Strong Magnetic Field / *Kazunori Takahashi, Daiki Sato*

(Continued)

CONTENTS / MAY 2013—VOL. 63, NO. 1T

(Continued)

- 398** Large-Diameter Permanent-Magnets-Expanding Plasma Source Applicable to an Electrodeless Plasma Thruster / *Tatsuya Suzuki, Kazunori Takahashi*
- 401** Production of a Periodic Plasma Structure by 400 kHz Capacitively Coupled Discharge / *Kazuaki Miyamoto, Kazunori Takahashi*
- 404** Line Spectra Observation of the Rydberg Helium Atoms due to Volumetric Recombination in the RF Plasma Source DT-ALPHA / *H. Takahashi, A. Okamoto, Y. Kawamura, T. Kumagai, A. Daibo, S. Kitajima*
- 408** Design of the Photon Recycling Probe Laser for the Divertor Thomson Scattering System in GAMMA 10 / *R. Yasuhara et al.*
- 411** Modeling of Plasma Transport in the Magnetic Mirror Configuration (GAMMA 10) / *T. Furuta et al.*
- 414** Numerical Simulation Study for Background Plasma in the GAMMA 10 End-Mirror Cell / *H. Takeda et al.*
- 417** Ion Acceleration by Ion-Cyclotron Resonance in Non-Uniform Magnetic Field Using the TPD-Sheet IV Linear Divertor Simulator / *T. Iijima, S. Hagiwara, S. Tanaka, A. Tonegawa, Kazutaka Kawamura, Kohnosuke Sato*
- 420** Study of Optimum Conditions for the V-Shaped Target of a Gas Divertor / *S. Tanaka, T. Iijima, A. Tonegawa, K. Kawamura, K. N. Sato*
- 423** Volume 63, No. 1T Indexes