

SUBJECT INDEX



Fusion technology

Volume 34, Numbers 1, 2, and 3
August, September, and November 1998

CITATIONS ARE BY PAGE NUMBER

A

- Ab-initio, 872
Ablated near-target materials, 772
Ablation, 772, 1047
 pellet, 425
 X ray, 459
Absorption, X ray, 697
Accountability, 510
Activated corrosion products, 733
Activation, 974
 analysis, 581, 614, 784
 concrete, 1028
 cross section, 353, 714
 fusion, 784
 low, 706, 840, 985
 neutron, 767, 964, 969, 985
Active cooling, 543
Actively cooled test limiters, for
 TEXTOR, 18
Adsorption, 526
Advanced tokamak, 573
 operation, 371
Ag-free brazing, 908
Alignment
 automatic, 1117
 systems, 1117
 908/Incoloy 908, 815
Alloy
 copper, 733, 919
 vanadium, 868
Alpha particles, 1, 308
Amplifier
 Brewster-angle slab, 1105
 flashlamp-pumped, 1105
Analysis
 activation, 581, 614, 784
 decision, 496
 fusion safety, 969
 net energy, 358
 neutron activation, 484
 neutronics, 779

- nuclear, 953
 numerical, 430, 930
 particle, 745
 physics safety, 568
 safety, 390, 661
 shielding, 1002
 structural, 675
 system, 825
 thermal, 936
Angle, divergence, 564
Angular momentum, conservation of,
 241
ANITA-u/F code, 691
Anomalous enhancement of three-body
 deuteron fusion
 reaction, 256
ANSYS, 924
Antenna, 407
Applications
 commercial, 477
 fusing plasmas, 484
 fusion, 991
 nonelectrical, 471
ARIES, 614
ARIES team, 364
ARIES-ST, 1079
ASME code, 924
Auger spectrometry, 868
Automatic alignment, 1117
Availability, 609

B

- Baffle first wall, 908
Bank capacitor, 1122
Bed
 Pebble, 877
 tritium storage, 510
Benchmark, 980
 code, 784
 experiment, 1018

- Beryllium, 464, 738, 753
 plasma sprayed, 738
Bioassay, 656
Biological dose rate, 1002
Biological half-life, 656
Blanket, 384, 863, 882, 1167
 breeding, 877
 fabrication, 892
 FW technology, 855
 maintenance, 1160
 performance, 779
ITER, 609
 ITER shielding, 892
Blowdown tank, 640
Body forces, linear and monotonic
 external, 198
Bonding, 443
Bootstrap current, 591
Brazing, Ag-free, 908
Breach position, 645
Breakup, sheet jet, 1035
Bred tritium, 234
Breeder
 materials, 887
 tritium, 1167
Breeding
 blankets, 877
 materials, 526
 tritium, 331, 697, 779, 1084
Brewster-angle slab amplifier, 1105
Bulk shielding, 6
Burial
 near-surface, 721
 shallow land, 353

C

- Cables, superconducting, 802
Calculation, Monte Carlo, 997
Calorimetry, gas flowing, 510

- Capacitors, 1122
 Carbide, silicon, 840, 946
 Carbon fiber composite, 908
 Cell, Pockels, 1113
 Centerpost, 1061, 1079
 Central solenoid, 137
 CFC, 464
 Chamber, target, 1053
 Channel, Pordus, 930
 Characterization, dust size, 645
 Chemical reactivity, 738
 Clearance, 721
 Cluster, neutron, 81
 C-MOD, 745
 CO₂ emissions, 358
 Code
 ANITA-u/F, 691
 ASME, 924
 benchmark, 784
 Monte Carlo, 1008
 Safaly, 661
 Coil
 ITER model, 815
 protection, 684
 superconducting, 797
 Cold compressor, 680
 Collective dose, 629
 Commercial applications, 477
 Comparison, experiment-calculation, 691
 Component
 divertor, 464
 in-vessel, 1144
 plasma facing, 443, 454, 901, 946
 Composite, carbon fiber, 908
 Compressor, cold, 680
 Computer simulation, 1053
 Conceptual design study, 364
 Concrete activation, 1028
 Condensation, 640
 Conditioning, power, 1122
 Conductivity, effective thermal, 877
 Conductor fabrication, 137
 Confinement, 301
 inertial electrostatic, 28, 484
 of D-T fusion products, 1
 tritium, 521
 Control, 521
 impurity, 345
 particle/heat, 946
 Conventional tokamak, 573
 Cooling, active, 543
 Copper, dispersion strengthened, 908
 Copper alloys, 733, 919
 Corrosion in a tritiated medium, 213
 Cost of electricity, 863
 Cost, reduced, 377
 Criteria, design, 789
 Cross-section
 activation, 353, 714
 libraries, 706
 uncertainties, 706
 Cryogenic distillation, 531, 536
 Cryosorption, 234
 Current
 bootstrap, 591
 drive, 301, 407, 412
 eddy, 553
 profile reproduction, 548
 Curved guide tube, 419
- D**
- D⁺ beam ion implantation, 256
 Damage, radiation, 331, 840, 1084, 1089
 Data
 evaluated nuclear, 1018
 fusion nuclear, 953
 Debris shield protection, 459, 772
 Decay heat, 609, 1008
 evaluation, 691, 969
 Decision analysis, 496
 Decontamination/decommissioning, 1041
 Defects, 872
 Deposition and erosion, 946
 Design
 criteria, 789
 engineering, 1097
 mechanical, 669
 nozzle, 1035
 reactor, 1167
 system, 412
 Detector, Hp-Ge, 997
 Deuterium, 515
 Deuterons
 at cryogenic temperatures, 151
 cluster, 256
 high concentration in Pd lattice, 156
 three-body recombination, 253
 Devices
 fusion, 697
 high power density MFE, 855
 D-helium-3, 477
 Diagnostic procedure, 430
 Diagnostic systems, 1117
 Diffuser, palladium, 536
 Discrete gamma ray, 997
 Dispersion-strengthened, copper, 908
 Disposal, waste, 353
 Disruption erosion, 901
 Disruption simulation, 634
 Distillation, cryogenic, 531, 536
 Distribution, log-normal, 745
 Divergence angle, 564
 Divertor, 301, 345, 397, 581, 941, 946
 attached-detached state, 568
 components, 464
 cooling loops, 733
 exchange 1137
 maintenance, 1160
 DORT 3.1, 1013
- Dose
 collective, 629
 occupational, 767
 Dose rate measurement, 1028
 Dose rate, biological, 1002
 Drive, current, 407, 412
 Driver, 326
 DSCu, 892
 D-T, 753
 14-MeV neutron irradiation, 714
 fusion, 358
 neutron, 980, 991, 1018
 reaction, 656
 Duplex structure, Be-Cu, 919
 Dust, 745
 mobilization, 645
 size characterization, 645
 tokamak, 604, 634, 728
 Duty factor, 609
 Dynamic interaction of deuterons, 151
 Dynamics, gas, 1047
- E**
- EB welding, 586
 Ecology, industrial, 619
 Economics, 496, 1174
 Eddy current, 553
 Effective surface area, 728
 Effective thermal conductivity, 877
 Effects
 irradiation, 789
 surface, 887
 Efficiency
 fueling, 435
 thermal, 863
 Efimov (boson) interactions, 253
 Eigenfunctions expansion, 548
 Electricity, cost of, 863
 Electrolysis, 147
 Electrolytic reactor, 536
 Electromagnet, 1174
 Electromagnetic behavior, 669
 Electron capture, 81
 weak interactions, 147
 Electrostatic potential, 1071
 Emission H α , 914
 Emission, neutrino, 81
 Emissions, CO₂, 358
 Emulsion method, 209
 End-of-life waste, 1041
 Energy
 efficiency, 281
 fusion, 319, 326, 797
 future per capita demand, 281
 inertial fusion, 319, 831, 840, 974, 1035
 magnetic fusion, 1174
 payback ratio, 358
 Engineering, plasma, 558
 Engineering design, 1097
 Environment, 496, 738, 760, 1041

Equilibrium, plasma, 558
Erosion, 946, 901
Error, field, 553
Evaluated nuclear data, 1018
Evaluation, decay heat, 691, 969
Event, ingress of coolant, 640, 651
Event, LOVA, 645
Exchange, divertor, 1137
Expansion, eigenfunctions, 548
Experiments
 benchmark, 1018
 calculation comparison, 691
 fusion integral, 953
 quantitative, 645
 shielding, 953
 tokamak, 454
Exposure, occupational radiation, 629

F

Fabrication, blanket, 892
Facility, National Ignition (NIF), 459, 753, 760, 767, 1041, 1097, 1105, 1122
Fast ignition research, 336
Feed forward, 531
FENDL/A-2, FENDL/D-2, EAF-u.1, 969

FENDL/e-1.1, 1013
FENDL/e-2.0, 1013
Field error, 553
First wall, 384, 882, 901, 924, 936
 blanket technology, 855
 liquid, 697
 maintenance, 1155
 protection, 459

Flashlamp-pumped amplifier, 1105
Flow, two-phase, 651
Flux, high heat, 882

FM laser, 1151
FT-IR, 872

Fuel, fusion, 536

Fueling
 efficiency, 435
 fusion plasma, 419
 fusion reactor, 515
 gas, 435
 ITER, 515
 pellet, 435, 515
 plasma, 425, 435

Full-scale prototype mockup, 892

Fusing plasma applications, 484
Fusion, 477, 581, 619, 669, 825, 831, 964, 1113
 activation, 784
 applications, 991
 devices, 697
 DT, 358
 energy, 319, 326, 797
 role of, 281
 engineering, innovative concept for, 946

file, JENDF, 1013
fuel, 536
heavy ion, 326
inertial confinement, 459, 760, 825, 1041, 753
inertial electrostatic confinement, 1071
integral experiments, 953
laser, 319, 1105
light ion, 331
magnetic, 308, 364, 454, 543
materials irradiation, 691
neutron source, 484
neutronic source, 691
nuclear data, 953
plasma, 505
plasma fueling, 419
proton source, 484
reactor, 28, 985
 blankets, 187
 design, 384
 fueling, 515
 high power density, 697
safety, 738
 analysis, 969
structural materials, 558
technology, 558

G

Gamma ray
 discrete, 997
 measurements, 985
Gas
 dynamics, 1047
 flowing calorimetry, 510
 fueling, 435
 gun, 430
 helium, 930
Geophysical flows, 187
Graphite, 914
Guidelines, physics design, 371
Gun, pneumatic, 419

H

H_α emission, 914
Half-life, biological, 656
Hazard
 radiological, 728
 vacuum, 599
Heat
 decay, 609, 1008
 removal, 924, 930
Heat sinks, tungsten coated, 18
Heating, 412
 nuclear, 331, 953
 radio-frequency, 407
Heavy ion fusion, 326
Heavy nuclides, 76

Helical reactor, 1167
Helium gas, 930
High heat flux, 882
 testing, 464
High power density
 fusion reactors, 697
 MFE devices, 855
HISH-t, 443
Hohlraum, 848, 974
Hot cell, 1144
Hot isostatic pressing, 882, 892
Hot wire method, 877
Hp-Ge detector, 997
HT Kelvin probe, 887
Hybrid blankets, 109
Hydrodynamics, radiation, 1053
Hydrogen, 496
 isotopes, 872
 permeability, 868, 919
 reflection, 914
HYLIFE-II, 974, 1035, 1047

I

Ignition, 753
Impurity, 454, 714
 control, 345
 transport, 591
Incoloy 908/Alloy 908, 802, 815
Induced radioactivity, 714, 991
Industrial ecology, 619
Inertial confinement fusion, 459, 753, 760, 825, 1041, 1053
Inertial electrostatic confinement, 484, 1071
Inertial fusion energy, 319, 831, 840, 974, 1035
Ingress of coolant event, 640, 651
Institute of Laser Engineering, 336
Integral methods, 848
Integrity, 882
Interstitials of Pd lattices, 151
Inventories
 radioactive, 969
 tritium, 941
Inverse problem, 548
Ionization, 1047
Ion source, 558
Iron, 1013
Irradiation
 D-T 14-MeV neutron, 714
 effect, 789
 fusion materials, 691
 neutron, 526
Isotope effect, 234
Isotopes, 477, 872
ITER, 291, 371, 377, 384, 390, 397, 443, 568, 573, 581, 586, 591, 661, 669, 789, 808, 1002, 1144, 1160
 blanket, 609
 fueling, 515

- model coils, 815
 plant, 629, 733
 shielding blanket, 892
 reduced cost, 573
- J**
- Jacketing, 802, 815
 JENDF fusion file, 1013
 JET, 308
 Joining techniques, 464
 Joints, 669, 808
 JT-6OU, 301
- K**
- Kerma factor, 1018
 Kernels, 848
 Key technology, 1137
 KrF laser, 319
 Krypton fluoride laser, 319
 KSTAR tokamak, 412
- L**
- Laser, 1113, 1122
 FM, 1151
 fusion, 319, 1105
 KrF, 319
 neodymium glass, 1105
 Raman, 536
 solid state, 1097
- Lattice
 radio-frequency trap, 156
 trapped D₂ molecules, 253
- Li₂O, 872
- Liquid
 drop model, 86
 metals, 187
 wall protection, 95
- Loads, power, 936
- LOCA, 1079
- Log-normal distribution, 745
- Long pulse, 543
- Loops, divertor cooling, 733
- Loss of coolant, 1079
- LOVA event, 645
- Low activation, 353, 706, 721, 840, 985
- Low aspect ratio, 1179
 tokamaks, 1
- Low-level waste, 353
- LSC, 656
- M**
- Magnet, 543, 669
 shielding, 397
 superconducting, 680, 684, 808
- Magnetic field, cylindrical, 241
- Magnetic fusion, 308, 364, 454, 543, 1174
- Magnetohydrodynamics, 187
 Magnetron, 1113
 Maintenance, 1144, 1160
 blanket, 1160
 divertor, 1160
 first wall, 1155
 safety, 599
- Man-in-the-loop, 1137
- Manipulator, vehicle, 1160
- Material damage, 95
- Materials
 ablated near-target, 772
 fusion structural, 706
 jacket, 815
 low activation, 353, 721
 plasma facing, 728
 recycling, 721
- MCNP, 1002
- MCNP-4A, 980
- Measurements, 991
- Mechanical design, 669
- Medical isotopes, 477
- Melt layer, 901
- Metals, liquid, 345
- Metrology, 1151
- Mini-chamber, 772
- Minimum cost system, 772
- Mobilization, dust, 645
- Mockup, full-scale prototype, 892
- Model, sector, 586
- Modeling, 326, 454
- Molecular dynamics simulations, 840
- Molecular weight, reduced, 234
- Molten salt, 526, 1167
- Monte Carlo, 997, 1008
- N**
- National Ignition Facility, 459, 753, 760, 767, 1041, 1097, 1105, 1122, 1127
- Near-surface burial, 721
- Neoclassical transport, 591
- Neodymium-glass laser, 1105
- NEPA, 760
- Net energy analysis, 358
- Neutral beam injector, 558, 1002
- Neutrino emission, 81
- Neutron
 activation, 767, 964, 969, 985
 analysis, 484
 cluster, 81
 14 MeV, 997
 irradiation, 526
 science, 489
 source, 1028, 1071
 wall loading, 1066
- Neutron-rich
 carbon isotope, 76
 nuclei, 86
 polyneutron nuclear reactions, 76
- Neutronics, 779, 964, 1084
- Neutronics, three-dimensional, 331, 397
- Nitrogen, liquid, 543
- Nonelectrical applications, 471
- Nozzle design, 1035
- Nuclear
 analysis, 953
 calculation, 6
 heating, 331, 953
 technology testing, 1066
 waste transmutation, 489
- Numerical
 analysis, 430, 930
 simulation, 651
- O**
- Operational scenario, 609
- Optimization
 shape, 936
 system, 1097
- P**
- Palladium diffuser, 536
- Particle
 alpha, 308
 analysis, 745
 heat control, 946
 simulation, 1071
 size, 604
- Particulate generation, 634
- Pebble bed, 877
- Pellet, 505
 ablation, 425
 fueling, 435, 515
 injection, 419, 425, 430
- Penning traps, 28
- Perveance, 564
- Photogrammetry, remote, 1137
- Physics design, 371
- Physics safety analysis, 568
- Planck theory, 128
- Plasma, 407, 1113
 disruptions, molten layers, 198
 engineering, 558
 equilibrium, 548
 facing component, 443, 454, 901, 946
 facing materials, 345, 728
 fueling, 425, 435
 fusion, 505
 source, 558
 transients, 568, 661
- Pneumatic gun, 419
- Pockels cell, 1113
- Polycondensation, interfacial reaction, 209
- Polyneutron, 86
 nuclear reaction, 76
- Polystyrene shells, 209

Pordus channel, 930
 Porous media, 187
Power
 conditioning, 1122
 loads, 936
 plant, 364, 1089
 pulsed, 825
 removal, 345
 supply, 684
Pressing, hot isostatic, 882
Pressure rise, 640
Probe, HT Kelvin, 887
Problem, inverse, 548
Protection
 coil, 684
 debris shield, 459, 772
 first wall, 459
 quench, 684
 radiation, 767
 system, 505
Prototype, 669

Q

Quantitative experiments, 645
Quench protection, 684

R

Radiation
 damage, 331, 840, 1084, 1089
 hydrodynamics, 1053
 protection, 767
 transport hohlraums, 848
Radioactive waste, 46
 ITER design, 46
Radio-frequency heating, 407
Radioactivity, induced, 714, 991
Radiological hazard, 728
Raman, laser, 536
Reactor
 design, 1167
 electrolytic, 536
 fusion, 985
 helical, 1167
 HYLIFE-II, 1047
Recycling, materials, 721
Reflection, hydrogen, 914
Refueling, tokamak, 430
Rejuvenating LWR and CANDU spent fuels, 109
Release, planned tritium, 521
Remote technology, 1137, 1144, 1151, 1155, 1160
Resistance, 808
Resonances, 1008
Resources, energy, 281
Retention, wall particle, 941
Reversed-field pinch, 553, 936, 1155
RTNS, 1028

S

SAFALY code, 661
Safety, 581, 599, 614, 619, 728, 738
 analysis, 390, 661
 basis, 760
 codes, 661
 environmental, 390, 738, 760, 1041
 research and design, 390, 651

SAGBO, 815
Salts, molten, 526
Scaling, 1174
Sector model, 586
Self-shielding, 1008
Shallow land burial, 353
Shape optimization, 936
Sheet jet breakup, 1035
Shield, 767, 1084, 1089
 analysis, 1002
 experiments, 953, 1023
 magnet, 397
Type 316 stainless steel for D-T neutrons, 6

SiC and vanadium, 706
Silicon carbide, 840, 946
Silver-free brazing, 1117
Simulation
 computer, 1053
 disruption, 634
 dynamics, 840
 numerical, 651
 particle, 1071
Skyshine, secondary gamma-ray, 997

Solid-state laser, 1097
Sonoluminescence, 128
Specific surface area, 604
Spectrometry, auger, 868
Spectroscopy, 914
Spherical tokamak, 137, 364, 614, 1084, 1089

Spherical torus, 489, 1061, 1066
Steam cycle, super-heated, 863

Stress, 924
Structural analysis, 669
Superalloys, 815

Superconducting, 675
 cables, 802
 coil, 797
 magnet, 680, 684, 808

Superconductors, 669

Suprafluide, 680

Surface effects, 887

Synfuel, 496

System
 analysis, 825
 design, 412
 minimum cost, 1097
 optimization, 1097
 protection, 505
 water cooling, 640

Systems
 alignment, 1117
 diagnostic, 1117
 modeling, 326
 studies, 573
 wavefront control, 1117

T

Tank, blowdown, 640
Target, 831
 chamber, 1053
 debris, 772
 injection, 831
TART, ACAB, 1028
Techniques, joining, 464
TFTR, 985, 991
Thermal
 analyses, 936
 cycle test, 908
 efficiency, 863
 hydraulics, 651
Three-dimensional fusion rate, 256
Three-dimensional neutronics, 331, 397
TIG/MIG welding, 586
Time-dependent transport, 848
Time of flight, 980
Tokamak, 301, 308, 377, 407, 548, 591, 680
 advanced, 573
 conventional, 573
 dust, 604, 634, 728
 experiments, 454
KSTAR, 412
 refueling, 430
 spherical, 364, 614, 1084, 1089
Torus, spherical, 489, 1061, 1066, 1179
Tracking, 831
Transfer function, 531
Transfer, turbulent heat, 930
Transient, 1079
Transients, plasma, 568, 661
Transmutation, nuclear waste, 489
Transmutations
 nuclear, 81, 147
 plasma disruptions, 198
Transport, 377, 591, 848
Triple diffusion, 253
Tritiated water, 213
Tritium, 308, 510, 515, 521, 526, 656, 941
 behavior, 521
 breeder, 1167
 breeding, 331, 697, 779, 1084
 confinement, 521
 inventory, 941
 planned release, 521
 production, 489
 storage bed, 510
 transport across the interface, 273
 treatment plant, 213

TSTA, 521
Tube, curved guide, 419
Tungsten, 443, 914, 1008
Tungsten-coated heat sinks, 18
Turbulent heat transfer, 930
Two-phase flow, 651

U

Uncertainties, cross section, 706

V

Vacuum hazard, 599
Vanadium, 980
 alloy, 714, 868, 1018
 and SIC, 706
VCB, 684

Vehicle manipulator, 1160
Verification of safety codes, 661
Volumetric neutron source, 489, 779,
 1061, 23-3

W

Wall
 first, 882, 901, 908, 924, 936
 loading, 397
 particle retention, 941
Waste, 619
 disposal, 353
 end-of-life, 1041
 low level, 353
 management, 721
Waste material, shallow burial of, 95
Water cooling system, 640

Wavefront control systems, 1117
Welding, 586, 802
Work function, 887
World population growth, 281

X

X-1, 1053
X-ray ablation, 459
X-ray absorption, 697

Y

Yield, high, 825

Z

ZrCo, 510