

Fusion Science and Technology

CONTENTS / MAY 2006—VOL. 49, NO. 4

**Selected papers from
Sixteenth Target Fabrication Specialists' Meeting
Scottsdale, Arizona
May 1–5, 2005**

Guest Editor: Robert C. Cook

v Comments / *Nermin A. Uckan*

vii Preface / *Arthur Nobile*

TECHNICAL PAPERS

- 553** Update on Specifications for NIF Ignition Targets, and Their Rollup into an Error Budget / *S. W. Haan, M. C. Herrmann, P. A. Amendt, D. A. Callahan, T. R. Dittrich, M. J. Edwards, O. S. Jones, M. M. Marinak, D. H. Munro, S. M. Pollaine, J. D. Salmonson, B. K. Spears, L. J. Suter*
- 558** Calculations of a Fill Hole/Tube in an Ignition Capsule / *S. C. Laffite, D. C. Wilson*
- 565** Research Program for the Fabrication of the Cryogenic Target to Reach Ignition on the LMJ. Results and Prospects / *Ph. Baclet, F. Bachelet, A. Choux, E. Fleury, L. Jeannot, S. Laffite, M. Martin, G. Moll, G. Pascal, B. Reneaume, M. Theobald*
- 574** Recent Results in Thermal and Hydrodynamic Simulations of Cryogenic Target for LMJ / *Géraldine Moll, Philippe Baclet, Michel Martin*
- 581** Thermal Infrared Exposure of Cryogenic Indirect Drive ICF Targets / *R. A. London, J. D. Moody, J. J. Sanchez, J. D. Sater, B. J. Haid, D. N. Bittner*
- 588** Theory and Numerical Modelling of the Effects of Ablator Wall and Hohlraum Transfer Gas Thermal Resistances on Deuterium-Tritium Redistribution Rates / *Warren H. Giedt, Jorge J. Sanchez, Thomas P. Bernat*
- 600** The Cryogenic Target for Ignition on the LMJ: Useful Tools to Achieve Nominal Temperature and Roughness Conditions of the DT Solid Layer / *M. Martin, C. Gauvin, A. Choux, P. Baclet, G. Pascal*
- 608** Low Mode Control of Cryogenic ICF Fuel Layers Using Infrared Heating / *R. A. London, B. J. Kozioziemski, M. M. Marinak, G. D. Kerbel, D. N. Bittner*
- 616** Three-Dimensional Characterization of Cryogenic Target Ice Layers Using Multiple Shadowgraph Views / *D. H. Edgell, R. S. Craxton, L. M. Elasky, D. R. Harding, L. S. Iwan, R. L. Keck, L. D. Lund, S. J. Verbridge, M. D. Wittman, A. Warrick, T. Brown, W. Seka*

(Continued)

CONTENTS / MAY 2006—VOL. 49, NO. 4

(Continued)

- 626** Characterization of the DT Layer of ICF Targets by Optical Techniques / *F. Gillot, A. Choux, L. Jeannot, G. Pascal, P. Baclet*
- 635** A Novel Technique for Precisely Measuring the Thickness of Witness Plates / *D. A. Steinman, R. B. Stephens, M. L. Hoppe*
- 638** Measuring the Thickness of Roughened Bands Used in CYLMIX Experiments / *Robert D. Day, Robert L. Sebring*
- 642** 3D Surface Reconstruction of ICF Shells After Full Surface Spheremapping / *H. Huang, R. B. Stephens, J. B. Gibson, I. Valmianski*
- 646** White Light Interferometry for the Optical Characterization of Transparent ICF Shells / *R. B. Stephens, D. A. Steinman, M. L. Hoppe*
- 650** Nondestructive Quantitative Dopant Profiling Technique by Contact Radiography / *H. Huang, R. B. Stephens, S. A. Eddinger, J. Gunther, A. Nikroo, K. C. Chen, H. W. Xu*
- 657** Controlling the Pore Size and Gelation Time of Resorcinol Formaldehyde Foam for Fabrication of Direct Drive Targets for ICF Experiments / *C. A. Frederick, R. R. Paguio, A. Nikroo, J. H. Hund, O. Acennas, M. Thi*
- 663** Optimization of Gelation to Prepare Hollow Foam Shell of Resorcinol-Formalin Using a Phase-Transfer Catalyst / *Fuyumi Ito, Keiji Nagai, Mitsuo Nakai, Takayoshi Norimatsu*
- 669** Silica, Metal Oxide, and Doped Aerogel Development for Target Applications / *J. F. Hund, R. R. Paguio, C. A. Frederick, A. Nikroo, M. Thi*
- 676** Regular 3-D Networks with Clusters for Controlled Energy Transport Studies in Laser Plasma Near Critical Density / *N. G. Borisenko, I. V. Akimova, A. I. Gromov, A. M. Khlenkov, Yu. A. Merkuliev, V. N. Kondrashov, J. Limpouch, J. Kuba, E. Krousky, K. Masek, W. Nazarov, V. G. Pimenov*
- 686** Electrochemical Fabrication of Low Density Metal Foam with Mono-Dispersed-Sized Micro- and Submicro-Meter Pore / *Keiji Nagai, Daisuke Wada, Mitsuo Nakai, Takayoshi Norimatsu*
- 691** Tin-Polymer Composite on a Rotating Drum as a High Repetition Rate Laser Target for Extreme Ultraviolet Generation / *Yuzuri Yasuda, Qincui Gu, Keiji Nagai, Mitsuo Nakai, Takayoshi Norimatsu, Shinsuke Fujioka, Hiroaki Nishimura, Masahiro Nakatsuka*
- 695** Polystyrene Based Foam Materials for Cryogenic Targets of Fast Ignition Realization Experiment (FIREX) / *Nobukatsu Nemoto, Keiji Nagai, Yoshitaka Ono, Kei Tanji, Tomoya Tanji, Mitsuo Nakai, Takayoshi Norimatsu*
- 701** Chemical Compatibility of Silica Aerogel Processes with ICF Hohlräume / *Kimberly A. DeFriend, Brent F. Espinoza, Arthur Nobile, Jr., Kenneth V. Salazar, Robert D. Day, Norman E. Elliott, Timothy H. Pierce, Joyce E. Elliott, Derek W. Schmidt, Frank Fierro, David Sandoval, Jeff Griego, Adelaida C. Valdez, Michael Droegge*
- 707** Synthesis and Characterization of Fully Deuterated Upilex Type Polyimides / *L. Poussard, E. Anselmi, B. Blondel, P. Buvat, A. Balland-Longeau*

(Continued)

CONTENTS / MAY 2006—VOL. 49, NO. 4

(Continued)

- 714** Preparation of Polyimide Ablator Coatings Using an Improved Solvent Vapor Smoothing Process / *Stephan Letts, Evelyn Fearon, Mitchell Anthamatten, Steven Buckley, Charlotte King, Robert Cook*
- 721** Improvement of Surface Smoothness of Vapor-Deposited Polyimide Coatings Using a Plastic Mesh Container as Bounce Pan / *K. C. Chen, A. Nikroo*
- 728** Modeling Polymer Vapor Deposition: PMDA-ODA Poly(amic Acid) / *A. K. Knight, D. R. Harding*
- 737** Diamond Ablators for Inertial Confinement Fusion / *Juergen Biener, Paul B. Mirkarimi, Joseph W. Tringe, Sherry L. Baker, Yinmin Wang, Sergei O. Kucheyev, Nick E. Teslich, Kuang Jen J. Wu, Alex V. Hamza, Christoph Wild, Eckhard Woerner, Peter Koidl, Kai Bruehne, Hans-Joerg Fecht*
- 743** Improving the Yield of Target Quality OMEGA Size PAMS Mandrels by Modifying Emulsion Components / *R. R. Paguio, S. P. Paguio, C. A. Frederick, A. Nikroo, O. Acenas*
- 750** Fabrication of Graded Germanium-Doped CH Shells / *K. C. Chen, R. C. Cook, H. Huang, S. A. Letts, A. Nikroo*
- 757** Gas Etching to Obtain Germanium Doped CH_x Microshells Compatible with the Laser Megajoule Target Specifications / *M. Theobald, C. Chicanne, J. Barnouin, E. Pêche, P. Baclet*
- 764** Fabrication of Surface Bumps on a Capsule to Simulate Fill Tube Mass Defects / *Stephan Letts, Evelyn Fearon, Steven Buckley, Charlotte King, Robert Cook*
- 768** Development of Sputtered Coated Glass Permeation Barrier / *J. S. Jaquez, E. L. Alfonso, A. Nikroo*
- 773** Using Mass Spectrometry to Characterize Permeation Half-Life of ICF Targets / *E. L. Alfonso, J. S. Jaquez, A. Nikroo*
- 778** BE Coatings on Spherical Surface for NIF Target Development / *H. Xu, A. Nikroo, J. R. Wall, R. Doerner, M. Baldwin, J. H. Yu*
- 786** Fabrication of Beryllium Capsules with Copper-Doped Layers for NIF Targets: A Progress Report / *Michael McElfresh, Janelle Gunther, Craig Alford, Eric Fought, Robert Cook, Abbas Nikroo, Hongwei Xu, Jason C. Cooley, Robert D. Field, Robert E. Hackenberg, Art Nobile*
- 796** Progress in the Production of Materials and Fabrication of NIF Beryllium-Copper Ignition Capsules at Los Alamos National Laboratory / *D. J. Alexander, J. C. Cooley, B. J. Cameron, L. B. Dauelsberg, R. M. Dickerson, R. E. Hackenberg, M. E. Mauro, A. Nobile, Jr., P. A. Papin, G. Rivera*
- 802** Pyrolytic Removal of the Plastic Mandrel from Sputtered Beryllium Shells / *Robert C. Cook, Stephan A. Letts, Steven R. Buckley, Evelyn Fearon*
- 809** Investigating the Potential of Using Focused Ion Beam Technology to Bore Holes in and Attach Fill-Tubes to a Beryllium Ablator / *H. L. Wilkens, A. V. Hamza, A. Nikroo, N. E. Teslich*

(Continued)

CONTENTS / MAY 2006—VOL. 49, NO. 4

(Continued)

- 813** Excimer Laser Ablation of 1D, 2D and Double Faces Sinusoidal Profiles on A-C:H (Amorphous Hydrogenated Carbon), Brominated Polystyrene and Polyimide Polymers Foils / *S. Bednarczyk, I. Geoffray, G. Perron, O. Legaie, Ph. Baclet*
- 818** Laser Machining for Fabrication of Hohlräume and Capsules / *M. D. Shirk, B. T. Kelly, S. M. Haynes, B. C. Stuart, J. J. Sanchez, J. D. Moody, R. C. Cook*
- 822** Micron-Scale Deep Hole Drilling for Beryllium Capsule Fill Applications / *J. P. Armstrong, A. M. Rubenchik, J. Gunther, B. C. Stuart*
- 832** Formation and Characterization of Polyimide Tents for NIF-Target Capsules / *Jordan Alexander, Forbes Powell, Mark Hagen, Jeff Guckian, Bobby Warren*
- 838** The Effect of Corners on Electroplating of Hohlraum Mandrels / *J. L. Kaae, D. M. Woodhouse*
- 842** Micromachining of Fast Ignition Targets / *M. P. Mauldin, A. L. Greenwood, M. N. Kittelson, C. H. Shearer, J. N. Smith, Jr., D. M. Woodhouse*
- 846** Progress in Coating Multi-Layered Cocktail Hohlräume / *H. L. Wilkens, J. Gunther, M. P. Mauldin, A. Nikroo, J. R. Wall, D. R. Wall, R. J. Wallace*
- 851** Tritium Operations at the Laboratory for Laser Energetics / *W. T. Shmayda, S. J. Loucks, R. Janezic, T. W. Duffy, D. R. Harding, L. D. Lund*
- 859** Exposure of NIF Relevant Polymeric Samples to Deuterium-Tritium Gas at Elevated Temperature and Pressure / *Peter S. Ebey, James M. Dole, Arthur Nobile, Jon R. Schoonover, John Burmann, Bob Cook, Steve Letts, Jorge Sanchez, Abbas Nikroo*
- 865** Fourier Transform Infrared Spectroscopic Analysis of Plastic Capsule Materials Exposed to Deuterium-Tritium (DT) Gas / *Jon R. Schoonover, Warren P. Steckle, Jr., Norman Elliot, Peter S. Ebey, Arthur Nobile, Abbas Nikroo, Robert C. Cook, Stephan A. Letts*

DEPARTMENTS

870 Volume 49 Indexes

xi Volume 49 Contents