

# Transactions of Fusion Science and Technology

CONTENTS / FEBRUARY 2007—VOL. 51, NO. 2T

Proceedings of the  
**SIXTH INTERNATIONAL CONFERENCE  
ON OPEN MAGNETIC SYSTEMS  
FOR PLASMA CONFINEMENT**

**Tsukuba, Japan  
July 17–21, 2006**

- ix** Comments / *Nermin A. Uckan*
- xi** Preface: Sixth International Conference on Open Magnetic Systems for Plasma Confinement / *T. Cho*
- 1** Alpha Channeling in Mirror Machines and in Tokamaks / *Nathaniel J. Fisch* (17R01)
- 7** IAEA Fusion Activities and Nuclear Data Support for Innovative Concepts / *R. E. H. Clark, A. Malaquias, G. Mank, A. L. Nichols* (17R02)
- 11** Overview of Recent Progress in the GAMMA 10 Tandem Mirror / *T. Cho et al.* (17R03)
- 17** Axially Symmetric Magnetic Mirror Traps: Status and Prospects / *A. V. Burdakov, A. A. Ivanov, E. P. Kruglyakov* (17R04)
- 23** Energy Confinement Scaling Predictions for the Stabilized Tandem Mirror / *W. Horton, J. Pratt, H. L. Berk, M. Hirata* (17R05)
- 29** RT-1 Project: Magnetosphere-Like Plasma Experiment / *Z. Yoshida et al.* (17R07)
- 34** Low-Frequency Turbulence and Non-Diffusive Cross-Field Plasma Transport in Mirror Systems / *V. P. Pastukhov, N. V. Chudin* (17R08)
- 40** Advanced Diagnostics for Burning Plasma Experiments / *M. Sasao, Steering Committee Members of MEXT Scientific Research of Priority Areas "Advanced Diagnostics for Burning Plasmas"* (17R09)
- 46** Tokamak and Spherical Tokamak Research in Japan / *Y. Takase et al.* (17R010)
- 52** Progress in Microwave Diagnostics and Physics Issues in Magnetically Confined Plasmas / *A. Mase et al.* (18R01)

(Continued)

# CONTENTS / FEBRUARY 2007—VOL. 51, NO. 2T

(Continued)

- 58 Progress in Development of Edge Thomson Scattering System for ITER / *T. Hatae et al.* (18R02)
- 62 CO<sub>2</sub> Laser Collective Thomson Scattering Diagnostic of  $\alpha$ -Particles in Burning Plasmas / *T. Kondoh, T. Hayashi, Y. Kawano, Y. Kusama, T. Sugie, M. Hirata, Y. Miura* (18R03)
- 65 The GDT as Neutron Source in a Sub-Critical System for Transmutation / *K. Noack, A. Rogov, A. A. Ivanov, E. P. Kruglyakov* (18R04)
- 69 Measurement of Density Profiles with Pressure in MAP-II and DiPS Linear Devices / *K.-S. Chung et al.* (18R05)
- 72 ICRF Heating and Plasma Acceleration with an Open Magnetic Field for the Advanced Space Thruster / *A. Ando, M. Inutake, K. Hattori, M. Shibata, Y. Kasashima* (18R06)
- 75 Plasma Spectroscopy in the Tandem Mirror GAMMA 10 / *Masayuki Yoshikawa et al.* (18R07)
- 79 The Synthesized Hot Ion Plasmoid Experiment at GDT / *A. V. Anikeev et al.* (18R08)
- 82 Investigation of Neutral Particles Using High Speed Camera and Monte-Carlo Simulation in the GAMMA 10 Central-Cell / *Y. Nakashima et al.* (18R09)
- 86 Simulation Study of Stepwise Density Variation with RF Power in a HANBIT Device / *B. H. Park, S. S. Kim, S. W. Yoon* (18R10)
- 89 Behavior of the Initial Plasma in AMBAL-M / *T. D. Akhmetov, V. I. Davydenko, Yu. V. Kovalenko, A. S. Krivenko, V. V. Razorenov* (18R11)
- 92 A Low Frequency Coherent Structure Driven by Turbulence in a Hanbit Mirror Plasma / *Chang-Mo Ryu, Tongnyeol Rhee* (18R12)
- 96 Ion-Induced Instability of Diocotron Modes in Electron Plasmas Modelling Curvature-Driven Flute Modes / *A. A. Kabantsev, C. F. Driscoll* (18R13)
- 100 A New Paradigm for Radial Ion Plasma Transport in Axisymmetric Magnetic Field / *V. Sokolov, A. K. Sen* (18R14)
- 103 Drift-Wave Instability Modified by Superimposed Parallel and Perpendicular Plasma Flow Velocity Shears / *T. Kaneko, K. Hayashi, R. Ichiki, R. Hatakeyama* (18R15)
- 106 Plasma Heating and Confinement in GOL-3 Multi Mirror Trap / *A. Burdakov et al.* (19R01)
- 112 The Kinetic Stabilizer Axisymmetric Tandem Mirror: A Review of Approaches to Its Implementation / *Richard F. Post* (19R02)
- 118 Divertor Stabilization Experiments in the Hanbit Mirror Device / *A. C. England, D. K. Lee, S. G. Lee, M. Kwon, S. W. Yoon, Hanbit Team* (19R03)
- 122 Concept of the Magnetic Divertor in GAMMA 10 / *I. Katanuma, H. Saimaru, Y. Mizoguchi, K. Yashiro, T. Cho, V. P. Pastukhov* (19R04)
- 126 EUV Spectra Measured from Large Helical Device and Atomic Data / *T. Kato et al.* (19R05)

(Continued)

# CONTENTS / FEBRUARY 2007—VOL. 51, NO. 2T

(Continued)

- 132 Charge-Transfer Cross Sections of  $H^+$  Ions in Collisions with Some Hydrocarbon Molecules in the Energy Range of 0.2 to 4 keV / *T. Kusakabe, K. Gotanda, H. Sakaue, M. Kimura* (19R07)
- 135 Atomic and Molecular Data Base and Data Activities for Fusion Research in Japan Atomic Energy Agency / *M. Sataka, H. Kubo* (19R08)
- 138 NIFS Atomic and Molecular Database for Collision Processes in Plasma / *I. Murakami, D. Kato, M. Kato, H. A. Sakaue, T. Kato* (19R09)
- 141 Transonic Plasma Flow Passing Through a Magnetic Mirror / *M. Inutake, A. Ando, K. Hattori, H. Tobar, T. Makita, H. Isobe* (20R01)
- 147 Role and Contribution of the Open Field Line Region in the Large Helical Device / *T. Watanabe, S. Masuzaki, Y. Nakamura, LHD Experimental Group, H. Hojo* (20R02)
- 150 Wave Excitation in Magnetically Confined Plasmas with an Anisotropic Velocity Distribution / *M. Ichimura et al.* (20R03)
- 154 Nonlinear Effects of High Power Plug/Barrier Electron Cyclotron Resonance Heating on Propagation and Radiation of Cyclotron Waves / *T. Kaneko et al.* (20R04)
- 160 Second Harmonic Cyclotron Heating of Sloshing Ions in a Straight Field Line Mirror / *V. E. Moiseenko, O. Ágren* (20R05)
- 164 Full-Wave Maxwell Simulations for Electron Cyclotron Resonance Heating / *H. Hojo, Y. Tatematsu, T. Saito* (20R06)
- 168 ECH and HHFW Start-Up Experiments on the TST-2 Spherical Tokamak / *A. Ejiri et al.* (20R07)
- 171 Direct Energy Conversion Experiment on the GAMMA 10 Tandem Mirror / *Y. Yasaka et al.* (20R08)
- 177 Effects of Non-Axisymmetric Magnetic Field on Characteristics of Axisymmetric Cusp DEC / *Y. Tomita, Y. Yasaka, H. Takeno, M. Ishikawa, Y. Nakashima, I. Katanuma, T. Cho* (20R09)
- 180 Bounce Instability in Multiple-Mirror Trap / *Alexei D. Beklemishev* (20R10)
- 183 Study of the Effects of Plasma-Confining Potentials Using End-Loss Analysing Systems / *M. Hirata et al.* (20R11)
- 186 New Results in the Theory of Multiple Mirror Plasma Confinement / *Igor A. Kotelnikov* (20R12)
- 190 Comparison of a Deuterium–Helium-3 FRC and Mirror Trap / *Sergei V. Ryzhkov* (20R13)
- 193 Recent FRC Plasma Studies / *S. Okada, T. Masumoto, S. Yamamoto, M. Inomoto, K. Kitano, S. Yoshimura* (20R14)
- 197 Research Plans for Low-Aspect Ratio Reversed Field Pinch / *S. Masamune et al.* (20R15)
- 200 On MHD Stability, Ellipticity, Omnigenuity, Constants of Motions and a Modified Thermal Barrier of a Straight Field Line Mirror / *O. Ágren, V. E. Moiseenko* (21R02)

(Continued)

# CONTENTS / FEBRUARY 2007—VOL. 51, NO. 2T

(Continued)

- 204** Investigation of Electron Distribution Functions in the Plug Region of the GAMMA 10 Tandem Mirror / *J. Kohagura et al.* (21R03)
- 208** Upgrade Program of ECRH System for GAMMA 10 / *T. Imai et al.* (21R04)
- 213** High Power and High Efficiency Operation of 170 GHz Gyrotron / *A. Kasugai, R. Minami, K. Takahashi, N. Kobayashi, T. Kariya, Y. Mitsunaka, K. Sakamoto* (21R05)
- 217** Plasma Flow Measurement by Mach Probes in GAMMA 10 / *A. Ando et al.* (19P01)
- 220** Influences of the Hall Effect on the Plasma Flows in a Magnetoplasmadynamic Thruster / *K. Kubota, I. Funaki, Y. Okuno* (19P02)
- 223** Measurement of Flow Velocity of MPD Arcjet in GAMMA 10 / *K. Nemoto et al.* (19P03)
- 226** Interaction Between Plasma Flow and Magnetic Field in Scale Model Experiment of Magnetic Sail / *I. Funaki, K. Ueno, H. Yamakawa, Y. Nakayama, T. Kimura, H. Horisawa* (19P04)
- 229** Numerical Simulation of Fusion Plasma Behavior in a Magnetic Nozzle for Laser Fusion Rocket / *Y. Kajimura, R. Kawabuchi, N. Matsuda, H. Nakashima* (19P05)
- 232** Development of Two Propulsion Systems with Helicon Plasma / *G.-S. Choi et al.* (19P06)
- 235** Measurement and Analysis of Magnetic Fluctuations in the HANBIT Mirror Device / *J. H. Yeom, C. M. Ryu, T. Lho, M. Kwon* (19P07)
- 238** Equilibrium of Charged Plasmas with Weak Axisymmetric Magnetic Perturbations / *I. Kotelnikov, M. Romé, A. Kabantsev* (19P08)
- 241** Enhancement and Suppression of Velocity-Shear-Driven Drift Instability due to Negative Ions / *R. Ichiki, K. Hayashi, T. Kaneko, R. Hatakeyama* (19P09)
- 244** Plasma Polarization Spectroscopy on Cusp Plasma and GAMMA 10 Tandem Mirror Plasma / *A. Iwamae, M. Atake, A. Sakae, M. Yoshikawa, T. Kobayashi, K. Matama* (19P11)
- 247** Two-Dimensional Spectroscopic Measurement of Hydrogen Emission in JT-60U Divertor Plasmas / *K. Fujimoto, T. Nakano, H. Kubo, H. Kawashima, K. Shimizu, N. Asakura* (19P12)
- 250** Development of a Thermal Probe Method for Heat Flux and Ion Temperature Measurement in the Divertor Simulator MAP-II / *K. Kurihara, S. Kado, H. Matsuura, T. Shikama, Y. Iida, K.-S. Chung, S. Tanaka* (19P13)
- 253** Spectroscopic Measurement Using Wide Range UV/Visible Spectroscopic System GAMMA 10 / *K. Matama, M. Yoshikawa, T. Kobayashi, Y. Kubota, T. Cho* (19P14)
- 256** Study of Oxygen Ions Behavior by Using Collisional-Radiative Model in GAMMA 10 / *T. Kobayashi, M. Yoshikawa, T. Kato, I. Murakami, Y. Kubota, K. Matama, T. Cho* (19P15)
- 259** Behavior of Fueled Particles and Its Effects on Plasma Parameters in the GAMMA 10 Tandem Mirror / *Y. Kubota et al.* (19P16)

(Continued)

# CONTENTS / FEBRUARY 2007—VOL. 51, NO. 2T

(Continued)

- 262** Application of Gamma Rays from  $D(\alpha,\gamma)^6\text{Li}$  and  $^{19}\text{F}(\alpha,n)^{22}\text{Na}$  to Alpha Particle Diagnostics / *K. Ochiai, N. Kubota, A. Taniike, A. Kitamura, K. Kondo, T. Nishitani* (19P18)
- 265** Potential and Density Fluctuation Characteristics of the Hot-Cathode-Biased Supersonic Plasma in TU-Heliac / *Y. Tanaka et al.* (19P19)
- 268** Ion Temperature Measurements in Tohoku University Helicac for Analysis of the Improved Mode Transition / *M. Ogawa et al.* (19P20)
- 271** Dynamics of SOL-Divertor Plasmas After an ELM Crash in Tokamak H-Mode Plasma / *T. Takizuka, M. Hosokawa* (19P21)
- 274** Observation of Radial Particle Transport Induced by the Fluctuation Measured with a Gold Neutral Beam Probe / *A. Kojima et al.* (19P22)
- 277** Measurements of 2-Dimensional Plasma Density Distributions by the Phase-Imaging Method in GAMMA 10 / *A. Nakahara et al.* (19P23)
- 280** Density Measurement Using a Lithium Beam Probe at the Inner Mirror Throat of the Tandem Mirror GAMMA 10 / *H. Kakiuchi et al.* (19P24)
- 283** Beam Emission Diagnostic for Estimating Neutral Beam Attenuation / *K. Ikeda et al.* (19P25)
- 286** Measurement of Relative Flux of Fractional-Energy Emissions Using Beam Emission Diagnostic / *K. Ikeda et al.* (19P26)
- 289** Behavior of High Energy Ions During the Drift Type Instability in the GAMMA 10 Tandem Mirror / *M. Katano et al.* (19P27)
- 292** Observation of Fluctuations of End-Loss Ion in the Tandem Mirror / *N. Kaidou et al.* (19P28)
- 295** Ion Temperature Measurement in the RF Heated Plasma / *Won Ha Ko, Hoon Kyun Na, Seong-Heon Seo, Myeun Kwon* (19P30)
- 298** Detection of Bounce Ions by Use of Charge Exchange Bounce Ion Analyzer / *Y. Miyata et al.* (19P31)
- 301** Fast Measurement of Ion Temperature Using Filter Charge Exchange Recombination Spectroscopy System Towards Real-Time Plasma Control in JT-60U / *M. Yoshida, S. Kobayashi, H. Takenaga, S. Sakata, Y. Kamada, JT-60 Team* (19P32)
- 304** Electron Density Measurements of a Thin Plasma Layer by Surface Plasmon Interferometry / *H. Hojo, A. Mase* (19P33)
- 307** Stability Study of Kelvin-Helmholtz Modes due to Radial Electric Field Shear / *H. Hojo* (19P34)
- 310** Electron Bernstein Wave Heating on the Internal Coil Device Mini-RT / *E. Yatsuka, H. Kato, D. Sakata, J. Morikawa, Y. Ogawa, N. Yanagi, T. Mito* (19P35)
- 313** One-Dimensional Analysis of Polarization Reversal Relating to Electron Cyclotron Resonance / *K. Takahashi, A. Fukuyama, T. Kaneko, R. Hatakeyama* (19P36)

(Continued)

# CONTENTS / FEBRUARY 2007—VOL. 51, NO. 2T

(Continued)

- 316** On the Experiment of Electron Cyclotron Resonance Heating in the Central Cell of the GAMMA 10 Tandem Mirror / *M. K. Islam, Y. Nakashima, Y. Higashizono, T. Cho* (19P37)
- 319** Numerical Analysis of the Second Harmonic Resonance Ion Heating in the HIEI Tandem Mirror / *N. Sugimoto, H. Takeno, Y. Yasaka* (19P38)
- 322** Numerical Study of Microwave Generation by Electromagnetic Surface Wave on Deeply Corrugated Metal Plate / *Watanabe Osamu* (19P39)
- 325** Improved Performance of Oversized Backward Wave Oscillator Driven by Weakly Relativistic Electron Beam / *S. Aoyama, Y. Miyazawa, K. Ogura, A. Sugawara, M. Hirata* (19P40)
- 328** Effective Excitation of ICRF Waves by Use of Phased Antennas in GAMMA 10 / *Y. Yamaguchi et al.* (19P42)
- 331** Slow Cyclotron and Cherenkov Instabilities in Weakly Relativistic Oversized Backward Wave Oscillator / *Y. Kiuchi, H. Tanaka, K. Ogura, O. Watanabe, T. Cho, Md. R. Amin* (19P43)
- 334** A Steady State Cusp Device for Plasma Studies and Technological Applications / *G. Gervasini, M. De Angeli, P. Amedeo, R. Schiavone* (19P44)
- 337** Radial Electric Fields and Radial Currents in the Gas Dynamic Trap / *P. A. Bagryansky, A. D. Beklemishev, M. S. Chaschin, E. I. Soldatkina* (19P45)
- 340** Influence of Radial Electric Field on High-Beta Plasma Confinement in the Gas Dynamic Trap / *P. A. Bagryansky, A. D. Beklemishev, E. I. Soldatkina* (19P46)
- 343** Effects of Plasma Confining Potentials and the Associated Radially Sheared Electric Fields on the Plasma Energy Confinement / *T. Numakura et al.* (19P47)
- 346** Experiments in the Hanbit Mirror Device with the Kinetic Stabilizer / *A. C. England, D. K. Lee, S. G. Lee, M. Kwon, S. W. Yoon, Hanbit Team* (19P50)
- 349** Stability Analysis of Flute Interchange Mode in GAMMA 10 Configuration / *Y. Mizoguchi, I. Katanuma, Y. Sasagawa, T. Cho* (19P51)
- 352** Anomalous Fast Heating of Ions in GOL-3 Facility / *A. V. Burdakov et al.* (19P52)
- 355** Use of Pellet Injection Technology at GOL-3 for Plasma Fueling and Plasma-Surface Interaction Research / *A. V. Burdakov et al.* (19P53)
- 358** Transverse Losses and Zeff Measurements at GOL-3 Facility / *A. Burdakov et al.* (19P54)
- 361** Visible Light and  $H_{\alpha}$  Imaging of Mirror Confined Plasmas in the Central Cell of GAMMA 10 / *H. Higaki et al.* (19P55)
- 364** Effect of Magnetic Configuration on the Neutral Particle Recycling in Compact Helical System / *Hiroto Matsuura, Suguru Masuzaki, Shoichi Okamura* (19P56)
- 367** Analysis of Neutral Transport in Fully 3-Dimensional Geometry in the GAMMA 10 Tandem Mirror / *Y. Higashizono et al.* (19P57)
- 370** On Ion Radial Diffusion in the End-Mirror Cell of GAMMA 10 Analyzed by Mapping Equation / *H. Saimaru, I. Katanuma, Y. Mizoguchi, T. Cho* (19P58)

(Continued)

# CONTENTS / FEBRUARY 2007—VOL. 51, NO. 2T

(Continued)

- 373** Rotation of a Field-Reversed Configuration due to Resistive Flux Decay / *Hidefumi Yamaura, Toshiki Takahashi, Yoshiomi Kondoh, Tomohiko Asai, Tsutomu Takahashi* (19P59)
- 376** Investigation of Translation of Field Reversed Configuration Plasma Using Computer Tomography Data at Two Different Cross-Sections / *Satoru Yoshimura, Satoshi Sugimoto, Shigefumi Okada* (19P60)
- 379** Heating and Particle Build-Up of Field-Reversed Configuration due to Neutral Particle Injection in a Translation Process / *T. Asai et al.* (19P61)
- 382** A Self-Consistent Beam-Plasma Equilibrium of a Field-Reversed Configuration / *Toshiki Takahashi, Fusaki P. Iizima, Hidefumi Yamaura, Yoshiomi Kondoh* (19P62)
- 385** Numerical Study of Charge Separation of Cusp DEC Installed at GAMMA 10 / *R. Kawana, S. Okayama, M. Ishikawa, Y. Nakashima, Y. Yasaka, H. Takeno, Y. Tomita* (19P64)
- 388** Optimization of Decelerator Structure of Traveling Wave Direct Energy Converter Simulator for D-<sup>3</sup>He Fusion / *T. Yamamoto, K. Takada, H. Takeno, Y. Yasaka* (19P66)
- 391** Research on Characteristics of Particle Discrimination and Direct Energy Conversion for Cusp Direct Energy Converter / *Y. Kurumatani, T. Tsujimoto, Y. Yasaka, H. Takeno* (19P67)
- 394** Fast and Efficient Data Acquisition System for Ubiquitous Participation in DEC Experiment on GAMMA 10 / *H. Yonemori, Y. Yasaka, H. Takeno, T. Yamamoto, Y. Nakashima, M. Hirata, T. Cho* (19P68)
- 397** Optimization of 28 GHz Gyrotron Output Performance for ECRH Experiment of the GAMMA 10 / *T. Kariya et al.* (19P69)
- 400** Recent Development of Transmission Systems for ECRH in the GAMMA 10 Tandem Mirror / *Y. Tatematsu et al.* (19P70)
- 403** Study of Efficient Electron Cyclotron Wave Coupling with Grooved Mirror Polarizer in the GAMMA 10 Tandem Mirror / *R. Minami et al.* (19P71)
- 406** Performance Test of Power Transmission System Newly Designed for ECRH in GAMMA 10 / *N. Machida et al.* (19P72)
- 409** Development of High Power Transmission System for ECRH in LHD / *T. Notake et al.* (19P73)
- 412** Characteristics of 28 GHz Gyrotron for ECRH on GAMMA 10 / *Y. Kamata et al.* (19P74)
- 415** Study of Spatial Distribution of Microwave Power Deposition for Plug ECRH in GAMMA 10 / *T. Kaitsuka et al.* (19P75)
- 418** Volume 51, No. 2T Indexes